

February 22, 2005

Mr. Steve Trent Fluor Hanford Inc. 825 Jadwin Avenue Richland, WA 99352

Reference:

P.O. #630

Eberline Services R4-12-300-7213, SDG H2936

Dear Mr. Trent:

Enclosed is the data report for one solid sample designated under SAF No. F03-006 received at Eberline Services on December 29, 2004. The sample was analyzed according to the accompanying chain-of-custody document.

Please call if you have any questions concerning this report.

Sincerely,


Melissa C. Mannion

Me mas

Senior Program Manager

MCM/njv

Enclosure: Data Package





Page 1 of 1

#### 1.0 GENERAL

Fluor Hanford Inc. (FH) Sample Delivery Group H2936 was composed of one solid (soil) sample designated under SAF No. F03-006 with a Project Designation of: 200-PW-2/200-PW-4 OU - Borehole Soil Sampling.

The sample was received as stated on the Chain-of-Custody document. Any discrepancies are noted on the Eberline Services Sample Receipt Checklist. The sample was analyzed in preparation batches with QC samples from SDG's H2925 (SAF No. F03-006) and H2936 (SAF No. F03-006).

#### 2.0 **ANALYSIS NOTES**

#### 2.1 **Tritium Analyses**

No problems were encountered during the course of the analyses.

#### 2.2 Carbon-14 Analyses

No problems were encountered during the course of the analyses.

#### 2.3 Nickel-63 Analyses

No problems were encountered during the course of the analyses.

#### 2.4 **Technetium-99 Analyses**

No problems were encountered during the course of the analyses.

#### 2.5 **lodine-129 Analyses**

No problems were encountered during the course of the analyses.

#### 2.6 Isotopic Thorium Analyses

No problems were encountered during the course of the analyses.

#### **Case Narrative Certification Statement**

"I certify that this data package is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed above. Release of the data obtained in this hard copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature."

Meri Man Melissa C. Mannion

Senior Program Manager

2/22/5

### EBERLINE SERVICES/RICHMOND SAMPLE DELIVERY GROUP H2936

SDG <u>7213</u> Contact Melissa C. Mannion

Client Hanford Contract No. 630 Case no SDG H2936

### SUMMARY DATA SECTION

TABLE OF	co	N T	E N	TS	
About this section	•	•	•		1
Sample Summaries	. •		•	•	3
Prep Batch Summary	•	•	•		5
Work Summary	•	•	•	•	6
Method Blanks	•	•	•		8
Lab Control Samples	•	•	•		10
Duplicates	•		•		12
Data Sheets			•		13
Method Summaries	•	•	•		14
Report Guides	•	•	•		20
End of Section	•	•		•	34

Prepared by

Mer Man

Review

Reviewed by

SAMPLE DELIVERY GROUP H2936

SDG 7213 Contact Melissa C. Mannion

### REPORT GUIDE

Client	Hanford
Contract	No. 630
Case no	SDG H2936

### ABOUT THE DATA SUMMARY SECTION

The Data Summary Section of a Data Package has all data, in several useful orders, necessary for first level, routine review of the data package for a Sample Delivery Group (SDG). This section follows the Data Package Narrative, which has an overview of the data package and a discussion of special problems. It is followed by the Raw Data Section, which has full details.

The Data Summary Section has several groups of reports:

#### SAMPLE SUMMARIES

The Sample and QC Summary Reports show all samples, including QC samples, reported in one SDG. These reports cross-reference client and lab sample identifiers.

#### PREPARATION BATCH SUMMARY

The Preparation Batch Summary Report shows all preparation batches (lab groupings reflecting how work was organized) relevant to the reported SDG with information necessary to check the completeness and consistency of the SDG.

### WORK SUMMARY

The Work Summary Report shows all samples and work done on them relevant to the reported SDG.

#### METHOD BLANKS

The Method Blank Reports, one for each Method Blank relevant to the SDG, show all results and primary supporting information for the blanks.

#### LAB CONTROL SAMPLES

The Lab Control Sample Reports, one for each Lab Control Sample relevant to the SDG, show all results, recoveries and primary supporting information for these QC samples.

REPORT GUIDES

Page 1

SUMMARY DATA SECTION

Page 1

Lab id EBRLNE
Protocol Hanford
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 02/22/05

SAMPLE DELIVERY GROUP H2936

SDG 7213
Contact Melissa C. Mannion

GUIDE, cont.

Client	Hanford
Contract	No. 630
Case no	SDG_H2936

#### ABOUT THE DATA SUMMARY SECTION

#### **DUPLICATES**

The Duplicate Reports, one for each Duplicate and Original sample pair relevant to the SDG, show all results, differences and primary supporting information for these QC samples.

#### MATRIX SPIKES

The Matrix Spike Reports, one for each Spiked and Original sample pair relevant to the SDG, show all results, recoveries and primary supporting information for these QC samples.

#### DATA SHEETS

The Data Sheet Reports, one for each client sample in the SDG, show all results and primary supporting information for these samples.

#### METHOD SUMMARIES

The Method Summary Reports, one for each test used in the SDG, show all results, QC and method performance data for one analyte on one or two pages. (A test is a short code for the method used to do certain work to the client's specification.)

#### REPORT GUIDES

The Report Guides, one for each of the above groups of reports, have documentation on how to read the associated reports.

REPORT GUIDES
Page 2
SUMMARY DATA SECTION
Page 2

SAMPLE DELIVERY GROUP H2936

SDG 7213
Contact Melissa C. Mannion

### SAMPLE SUMMARY

Client Hanford

Contract No. 630

Case no SDG H2936

				LAB		CHAIN OF	
CLIENT SAMPLE ID	LOCATION	MATRIX	LEVEL	SAMPLE ID	SAF NO	CUSTODY	COLLECTED
B1B5F6	200-PW2/216S-7,199-201.5	SOLID		R412300-01	F03-006	F03-006-297	12/22/04 11:20
Method Blank		SOLID		R412178-04	F03-006		
Method Blank		SOLID		R501031-03	F03-006		
Lab Control Sample		SOLID		R412178-03	F03-006		
Lab Control Sample		SOLID		R501031-02	F03-006		
Duplicate (R412300-01)	200-PW2/216S-7,199-201.5	SOLID		R412300-04	F03-006		12/22/04 11:20

SAMPLE SUMMARY
Page 1
SUMMARY DATA SECTION

Page 3

Protocol Hanford
Version Ver 1.0
Form DVD-CS

Version 3.06

Report date 02/22/05

SAMPLE DELIVERY GROUP H2936

SDG 7213
Contact Melissa C. Mannion

### QC SUMMARY

Client Hanford
Contract No. 630
Case no SDG H2936

с ватсн	CHAIN OF	CLIENT SAMPLE ID	MATRIX	SOLIDS	SAMPLE AMOUNT	BASIS AMOUNT	DAYS SI		LAB SAMPLE ID	DEPARTMENT SAMPLE ID
194		Method Blank Lab Control Sample	SOLID SOLID						R412178-04 R412178-03	7194-004 7194-003
213	F03-006-297	B195F6	SOLID	98.5	159 g		12/29/04	7	R412300-01	7213-001
		Duplicate (R412300-01)	SOLID	98.5	159 g		12/29/04	7	R412300-04	7213-004
229		Method Blank Lab Control Sample	SOLID SOLID						R501031-03 R501031-02	7229-003 7229-002

OC SUMMARY

Page 1

SUMMARY DATA SECTION

Page 4

Protocol Hanford
Version Ver 1.0

Form DVD-QS
Version 3.06

Report date 02/22/05

ე<u>ნიიიიიგ</u>

SAMPLE DELIVERY GROUP H2936

SDG	7213		
Contact	Melissa	Ç,	Mannion_

#### PREP BATCH SUMMARY

Client	<u>Hanford</u>
Contract	No. 630
Case no	SDG H2936

TEST	MATRIX	MSTHOD	PREPARATION BATCH	ERROR 2σ %	CLIENT	MORE	PLA RĒ	NCHETS I	analyz LCS		QUALI- FIERS
Alpha TH	Spectrose SOLID	COPY Thorium, Isotopic in Solids	7121-118	5.0	1			1	1	1/1	
Beta TC	Counting SOLID	Technetium 99 in Solids	7113-070	10.0	1			1	1	1/1	
Gamma I	Spectroso SOLID	copy  Iodine 129 in Solids	7113-070	10.0	1			1	1	1/1	
Liqui C	d Scintil	lation Counting Carbon 14 in Solids	7113-070	10.0	1	_		1	1	1/1	
н	SOLID	Tritium in Solids	7113-070	10.0	1			1	1	1/1	
NI_L	SOLID	Nickel 63 in Solids	7113-070	10.0	1			1	1	1/1	

Duplicates and Matrix Spikes are those with original (Client) sample in this Sample Delivery Group.

Blank and LCS planchets are those in the same preparation batch as some Client, Duplicate or Spike sample.

PREP BATCH SUMMARY

Page 1

SUMMARY DATA SECTION

Page 5

SAMPLE DELIVERY GROUP H2936

SDG 7213
Contact Melissa C. Mannion

### WORK SUMMARY

Client Hanford

Contract No. 630

Case no SDG H2936

LIENT SAMPLE ID		MATRIX	LAB SAMPLE ID  COLLECTED  RECEIVED	PLANCHET	Test	SUF-	ANALY ZED	REVIEWED	ву	METHOD
OSTODY SAF	No.		RECEIVED	PIPMCIBI						
1B5F6			R412300-01	7213-001	С		02/01/05	02/03/05	MWT	Carbon 14 in Solids
00-PW2/216S-7,199-	201.5	SOLID	12/22/04	7213-001	H		02/03/05	02/15/05	MWT	Tritium in Solids
03-006-297 F03	-006		12/29/04	7213-001	I		02/18/05	02/21/05	MWT	Iodine 129 in Solids
				7213-001	NI_L		02/06/05	02/16/05	MWT	Nickel 63 in Solids
				7213-001	TC		02/04/05	02/09/05	MWT	Technetium 99 in Solids
				7213-001	TH		02/08/05	02/09/05	MWT	Thorium, Isotopic in Solids
ethod Blank			R412178-04	7194-004	С		01/31/05	02/03/05	MWT	Carbon 14 in Solids
		SOLID		7194-004	Н		02/03/05	02/15/05	MWT	Tritium in Solids
F03	-006			7194-004	I		02/14/05	02/15/05	MWT	Iodine 129 in Solids
				7194-004	NI_L		02/05/05	02/16/05	MWT	Nickel 63 in Solids
				7194-004	TC		02/08/05	02/09/05	MWT	Technetium 99 in Solids
ethod Blank			R501031-03	7229-003	TH		02/08/05	02/10/05	MWT	Thorium, Isotopic in Solids
		SOLID						,		
F03	3-006									
ab Control Sample			R412178-03	7194-003	С	<u> </u>	02/01/05	02/03/05	MWT	Carbon 14 in Solids
		SOLID		7194-003	H		02/03/05	02/15/05	MWT	Tritium in Solids
F03	3-006			7194-003	I		02/13/05	02/15/05	MWT	Todine 129 in Solids
				7194-003	NI_L		02/05/05	02/16/05	MWT	Nickel 63 in Solids
				7194-003	TC		02/04/05	02/09/05	MWT	Technetium 99 in Solids
ab Control Sample			R501031-02	7229-002	тн		02/08/05	02/10/05	MWT	Thorium, Isotopic in Solids
-		SOLID								
FO:	3-006									
uplicate (R412300	-01)	100 100	R412300-04	7213-004	С		02/01/05	02/03/05	MWT	Carbon 14 in Solids
00-PW2/216S-7,199	-201.5	SOLID	12/22/04	7213-004	н		02/03/05	02/15/05	MWT	Tritium in Solids
FO:	3-006		12/29/04	7213-004	r		02/18/05	02/21/05	MWT	Iodine 129 in Solids
				7213-004	NI_L		02/06/05	02/16/05	MWT	Nickel 63 in Solids
				7213-004	TC		02/04/05	02/09/05	MWT	Technetium 99 in Solids
				7213-004	TH		02/08/05	02/09/05	MWT	Thorium, Isotopic in Solids

WORK SUMMARY
Page 1
SUMMARY DATA SECTION
Page 6

SAMPLE DELIVERY GROUP H2936

SDG	7213	
Contact	<u>Melissa C</u>	. Mannion

### WORK SUMMARY, cont.

Client	Hanford
Contract	No. 630
Case no	SDG H2936

TEST	SAF No	COUNTS OF	TESTS BY REFERENCE	SAMPLE TYPE  CLIENT MORE	RE BLANK	ics	DUP SPIKE	TOTAL
c	P03-006	Carbon 14 in Solids	C14_COX_LSC	1	1	1	1	4
н	F03-006	Tritium in Solids	906.0_H3_LSC	1	1	1	1	4
I	F03-006	Todine 129 in Solids	I129_SEP_LEPS_GS	ì	1	1	1	4
NI_L	F03-006	Nickel 63 in Solids	NI63_LSC	1	1	1	1	4
TC	F03-006	Technetium 99 in Solids	TC99_TR_SEP_LSC	1	1	1	1	4
тн	F03-006	Thorium, Isotopic in Solids	THISO_IE_PLATE_AEA	1	1	1	1	4
TOTALS				6	6	6	6	24

WORK SUMMARY
Page 2
SUMMARY DATA SECTION
Page 7

## EBERLINE SERVICES/RICHMOND SAMPLE DELIVERY GROUP H2936

R412178-04

#### METHOD BLANK

Method Blank

	7213 Melissa C. Mannion	Client/Case no Contract	SDG H2936
Lab sample id Dept sample id		Client sample id Material/Matrix SAF No	SOLID

ANALYTE	CAS NO	RESULT pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI- FIERS	TEST
Tritium	10028-17-8	-0.076	0.25	0.44	400	U	н
Carbon 14	14762-75-5	2.83_	2.0	3.6	50	U	С
Nickel 63	13981-37-8	-1.01	1.8	3.1	30	U	NI_L
Technetium 99	14133-76-7	0.243	0.28	0.51	15	U	TC
Thorium 228	14274-82-9	N.A.			1.0		TH
Thorium 230	14269-63-7	N.A.			1.0		TH
Thorium 232	TH-232	N.A.			1.0		TH
Iodine 129	15046-84-1	-0.008	0.35	0.80	2.0	ប	I

200-PW-2/200-PW-4 OU Boreh.Soil Samp

QC-BLANK #51347

METHOD BLANKS
Page 1
SUMMARY DATA SECTION
Page 8

Lab id EBRLNE
Protocol Hanford
Version Ver 1.0
Form DVD-DS
Version 3.06
Report date 02/22/05

SAMPLE DELIVERY GROUP H2936

R501031-03

#### METHOD BLANK

Method Blank

l .	7213 Melissa C. Mannion	Client/Case no Contract	 SDG_H2936
Lab sample id Dept sample id		Client sample id Material/Matrix SAF No	 SOLID

ANALYTE	CAS NO	RESULT pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI- FIERS	TEST
Thorium 228	14274-82-9	0	0.048	0.098	1.0	ប	TH
Thorium 230	14269-63-7	-0.016	0.11	0.21	1.0	U	TH
Thorium 232	TH-232	-0.016	0.032	0.076	1.0	ט	TH

200-PW-2/200-PW-4 OU Boreh.Soil Samp

QC-BLANK 51525

METHOD BLANKS
Page 2
SUMMARY DATA SECTION
Page 9

SAMPLE DELIVERY GROUP H2936

R412178-03

# LAB CONTROL SAMPLE

Lab Control Sample

SDG 7213 Contact Melissa C. Mannion	Client/Case no <u>Hanford</u> <u>SDG H2936</u> Contract <u>No. 630</u>
Lab sample id <u>R412178-03</u>	Client sample id <u>Lab Control Sample</u>
Dept sample id 7194-003	Material/Matrix SOLID SAF No F03-006

ANALYTE	RESULT pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI- FIERS	TEST	ADDED pCi/g	2σ ERR pCi/g	REC	3 oLMTS (TOTAL)	PROTOCOI LIMITS
Tritium	13.4	0.64	0.44	400		н	13.0	0.52	103	82-118	80-120
Carbon 14	1620	33	7.9	50		С	1600	64	101	83-117	80-120
Nickel 63	273	6.6	3.1	30		NI_L	272	11	100	83-117	80-120
Technetium 99	120	2.3	0.49	15		TC	120	4.8	100	84-116	80-120
Thorium 230	N.A.		•	1.0		TH					80-120
Iodine 129	134	2.0	3.0	2.0		I	127	5.1	106	83-117	80-120

200-PW-2/200-PW-4 OU Boreh.Soil Samp

QC-LCS #	51346		

LAB CONTROL SAMPLES

Page 1
SUMMARY DATA SECTION
Page 10

SAMPLE DELIVERY GROUP H2936

R501031-02

## LAB CONTROL SAMPLE

Lab Control Sample

SDG <u>7213</u> Contact <u>Melissa C. Mannion</u>	Client/Case no Hanford SDG H2936 Contract No. 630
Lab sample id <u>R501031-02</u> Dept sample id <u>7229-002</u>	Client sample id Lab Control Sample  Material/MatrixSOLID  SAF No F03-006

ANALYTE	RESULT pCi/g	2σ ERR (COUNT)	MINA pCi/g	RDL pCi/g	QUALI- FIERS	Test	ADDED pCi/g	2σ ERR pCi/g	REC	3σ LMTS (TOTAL)	PROTOCOL LIMITS
Thorium 230	46.1	5.2	0.35	1.0		тн	46.4	1.9	99	81-119	80-120

200-PW-2/200-PW-4 OU Boreh.Soil Samp

QC-LCS 51524		
--------------	--	--

LAB CONTROL SAMPLES
Page 2
SUMMARY DATA SECTION
Page 11

SAMPLE DELIVERY GROUP H2936

R412300-04

SDG 7213

\* solids 98.5

Lab sample id <u>R412300-04</u>

Dept sample id 7213-004

Contact Melissa C. Mannion

DUPLICATE

### DUPLICATE

ORIGINAL

Lab sample id R412300-01

Received 12/29/04

\* solids <u>98.5</u>

Dept sample id <u>7213-001</u>

B1B5F6

Client/Case no Hanford SDG H2936

Contract No. 630

Client sample id B1B5F6

Location/Matrix 200-PW2/216S-7,199-201.5 SOLID

Collected/Weight 12/22/04 11:20 \_\_159 g

Custody/SAF No F03-006-297 F03-006

ANALYTE	DUPLICATE pCi/g	2σ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI- FIERS	TEST	original pCi/g	2σ ERR (COUNT)	MDA pCi/g	QUALI- FIERS	RPD	3σ PROT TOT LIMIT
Tritium	177	5.6	1.2	400		н	158	5.0	1,1		11	22
Carbon 14	-1.96	1.8	3.1	50	ס	С	-1.09	1.7	3.0	ס	-	
Nickel 63	0.758	2.0	3.3	30	σ .	NI_L	-1.22	1.9	3.3	U	-	
Technetium 99	0.198	0.32	0,56	15	ט	TC	0.131	0.28	0.72	ט	-	
Thorium 228	0.349	0.23	0.30	1.0		TH	0.721	0.39	0.37		70	128
Thorium 230	0.232	0.23	0.30	1.0	ט	TH	0.384	0.39	0.37		49	221
Thorium 232	0.426	0.24	0.30	1.0		TH	0.576	0.29	0.37		30	113
Todine 129	0.318	0.67	1.5	2.0	U	ı	0.118	0.71	1.6	ט	-	

200-PW-2/200-PW-4 OU Boreh.Soil Samp

QC-DUP#1 51823

Lab id EBRLNE Protocol Hanford Version Ver 1.0

Form DVD-DUP Version 3.06

Report date 02/22/05

00000015

DUPLICATES Page 1 SUMMARY DATA SECTION Page 12

### EBERLINE SERVICES / RICHMOND SAMPLE DELIVERY GROUP H2936

R412300-01

### DATA SHEET

B1B5F6

	7213 Melissa C. Mannion	Client/Case no Contract	
1		Collected/Weight	B1B5F6 200-PW2/216S-7,199-201.5 SOLID 12/22/04 11:20 159 q F03-006-297 F03-006

ANALYTE	CAS NO	RESULT pCi/g	$2\sigma$ ERR (COUNT)	MDA pCi/g	RDL pCi/g	QUALI- Firrs	TEST
Tritium	10028-17-8	158	5.0	1.1	400		H
Carbon 14	14762-75-5	-1.09	1.7	3.0	50	U	С
Nickel 63	13981-37-8	-1.22	1.9	3.3	30	Ū	NI L
Technetium 99	14133-76-7	0.131	0.28	0.72	15	U	TC
Thorium 228	14274-82-9	0.721	0.39	0.37	1.0		TH
Thorium 230	14269-63-7	0.384	0.39	0.37	1.0		TH
Thorium 232	TH-232	0.576	0.29	0.37	1.0		TH
Todine 129	15046-84-1	0.118	0.71	1.6	2.0	U	I

200-PW-2/200-PW-4 OU Boreh.Soil Samp

DATA SHRETS
Page 1
SUMMARY DATA SECTION
Page 13

SAMPLE DELIVERY GROUP H2936

Test	<u> TH_</u>	Matr	ix į	SOLID
SDG	7213			
Contact	Melia	sa C	. м.	annion_

### METHOD SUMMARY

THORIUM, ISOTOPIC IN SOLIDS
ALPHA SPECTROSCOPY

Client	Hanford
Contract	No. 630
Contract	SDG H2936

:ESULTS

LIENT SAMPLE ID				<u> </u>
reparation batch 7121-	118			
1B5F6	R412300-01	7213-001	0.384	
LK (QC ID=51525)	R501031-03	7229-003	ū	
CS (QC ID=51524)	R501031-02	7229-002	ok	
uplicate (R412300-01)	R412300-04	7213-004	ok U	

### IETHOD PERFORMANCE

LIENT SAMPLE ID	LAB SAMPLE ID	ran Test	SUF- FIX	MAX M pCi/g	-	PRRP FAC	DILU-	YIELD	RPF		DRIFT KeV		PREPARED	ANAL- YZED	DETECTOR
reparation batch 7121-1	18 2σ pr	ep eri	or 5.	.0 %	Reference	Lab	Notebool	7121	pg.	118			•		
1B5F6	R412300-01			0.37	0.250			78		162		48	02/08/05	02/08	SS-063
LK (QC ID=51525)	R501031-03			0.21	0.250			79		876			02/08/05	02/08	SS-035
CS (QC ID=51524)	R501031-02			0.35	0.250			75		162			02/08/05	02/08	SS-066
uplicate (R412300-01) (QC ID=51823)	R412300-04			0.30	0.250			86		162		48	02/08/05	02/08	SS-064
ominal values and limit	s from metho	rđ		1.0	0.250			20-10	5	150	 	180			

PROCEDURES	REFERENCE	THISO_IE_PLATE_ARA
	CP-060	Soil Preparation, rev 7
	CP-071	Soil Dissolution, > 1.0g Aliquot, rev 5
	CP-900	Thorium in Water and Dissolved Solid Samples by
		Extraction Chromatography, rev 1
	CP-008	Heavy Element Electroplating, rev 9

AVERAGES ± 2 SD MDA 0.31 ± 0.14

FOR 4 SAMPLES YIELD 80 ± 9

METHOD SUMMARIES
Page 1

SUMMARY DATA SECTION

Page 14

SAMPLE DELIVERY GROUP H2936

Test TC Matrix SOLID

SDG 7213

Contact Melissa C. Mannion

### METHOD SUMMARY

TECHNETIUM 99 IN SOLIDS BETA COUNTING Contract No. 630
Contract SDG H2936

:ESULTS

LIENT SAMPLE ID	LAB SAMPLE ID	raw Suf- Test fix	PLANCHET	Technet 99	ium		
reparation batch 7113-	070					 <del></del>	
1B5F6	R412300-01		7213-001	υ			
LK (QC ID=51347)	R412178-04		7194-004	Ū			
CS (QC ID=51346)	R412178-03		7194-003	ok	•		
uplicate (R412300-01)	R412300-04		7213-004	-	υ		

IBTHOD PERFORMANCE

LIENT SAMPLE ID	LAB SAMPLE ID	RAW :				DILU-	# AIEID	EFF *	COUNT min	FWHM keV			PREPARED	anal- Yzed	DETECTOR
reparation batch 7113-0	70 2ø pr	ep err	or 10.0 *	Reference	Lab	Notebool	k 7113	pg.	070						
1B5F6	R412300-01		0.7	2 1.00			71		50			44	02/01/05	02/04	GRB-202
LK (QC ID=51347)	R412178-04		0.5	1.00			102		50				02/01/05	02/08	GRB-227
CS (QC ID=51346)	R412178-03		0.4	9 1.00			103		50				02/01/05	02/04	GRB-203
uplicate (R412300-01) (QC ID=51823)	R412300-04		0.5	6 1.00			90		50			44	02/01/05	02/04	GRB-203
(QC ID=51823)  ominal values and limit	s from metho		15	1.00	<del> </del>		20-10	—_ 5	50	,.	·····	180			

PROCEDURES	REFERENCE	TC99_TR_SEP_LSC
	CP-431	Technetium-99 Purification of Soil or Resin by
		Extraction Chromatography, rev 2
	CP-008	Heavy Blement Blectroplating, rev 9

AVERAGES ± 2 SD	MDA_	0.57	±	0.21
FOR 4 SAMPLES	AIETD -	92	±	30

METHOD SUMMARIES
Page 2
SUMMARY DATA SECTION
Page 15

SAMPLE DELIVERY GROUP H2936

Test	I Matrix SOLID
SDG	7213
Contact	Melissa C. Mannion

### METHOD SUMMARY

IODINE 129 IN SOLIDS
GAMMA SPECTROSCOPY

Client	Hanford
Contract	No. 630
Contract	SDG H2936

:ESULTS

LIENT SAMPLE ID	LAB SAMPLE ID	RAW SUF- TEST FIX	PLANCHET	Todine	129
reparation batch 7113-	070	<del> </del>	<u> </u>		
1B5F6	R412300-01		7213-001	σ	
LK (QC ID=51347)	R412178-04		7194-004	σ	
CS (QC ID=51346)	R412178-03		7194-003	ok	
uplicate (R412300-01)	R412300-04		7213-004	-	ט

IETHOD PERFORMANCE

LIENT SAMPLE ID	LAB SAMPLE ID	RAW SU		_	PREP	DILU-	YIRLD	_				PREPARED	ANAL- YZED	DETECTOR
reparation batch 7113-0	70 2øpr	ep erro	10.0 %	Reference	Lab 1	Notebooi	7113	pg.	070			•		
1B5F6	R412300-01		1.6	1.00			44		719		58	02/10/05	02/18	XSPEC-004
LK (QC ID=51347)	R412178-04		0.80	1.00			95		601			02/10/05	02/14	XSPEC-004
CS (QC ID=51346)	R412178-03		3.0	1.00			52		961			02/10/05	02/13	XSPEC-002
uplicate (R412300-01) (QC ID=51823)	R412300-04		1.5	1.00			39		908		58	02/10/05	02/18	XSPEC-004
ominal values and limit	s from metho	đ	2.0	1.00			20-10	— <u> </u>	300	 	180	<del></del>		

PROCEDURES	REFERENCE	I129_SEP_LEPS_GS	
	CP-024	Iodine-129, Sample Dissolution, rev 5	
	CP-530	Iodine-129 Purification, rev 1	

AVERAGES ± 2 SD	MDA 1.7 ± 1.8
FOR 4 SAMPLES	YIELD <u>\$8</u> ± <u>51</u>

METHOD SUMMARIES
Page 3
SUMMARY DATA SECTION
Page 16

SAMPLE DELIVERY GROUP H2936

Test C Matrix SOLID

SDG 7213

Contact Melissa C. Mannion

#### METHOD SUMMARY

CARBON 14 IN SOLIDS

LIQUID SCINTILLATION COUNTING

Contract No. 630
Contract SDG H2936

### :ESULTS

LIENT SAMPLE ID	LAB SAMPLE ID	RAW SUF- TEST FIX		Carbo	1 14
reparation batch 7113-	070				
1B5F6	R412300-01		7213-001	U	
LK (QC ID=51347)	R412178-04		7194-004	υ	
CS (QC ID=51346)	R412178-03		7194-003	ok	
uplicate (R412300-01)	R412300-04		7213-004	-	U

### [ETHOD PERFORMANCE

LIENT SAMPLE ID	LAB SAMPLE ID	RAW SUF				P DILU- C TION	\$ YIELD				DRIFT KeV		PREPARED	ANAL- YZED	DETECTOR
reparation batch 7113-0		ep error	10.0 %	Reference	Lab	Noteboo)	7113	pg.	070						
1B5F6	R412300-01		3.0	0.471			100		50			41	01/30/05	02/01	LSC-004
GK (QC ID=51347)	R412178-04		3.6	0.400			100		50				01/30/05	01/31	LSC-004
CS (QC ID=51346)	R412178-03		7.9	0.400			100		10				01/30/05	02/01	LSC-004
uplicate (R412300-01) (QC ID=51823)	R412300-04		3.1	0.459			100		50			41	01/30/05	02/01	LSC-004
ominal values and limit	s from metho	d	50	0.400			·		25	<u></u>		180			

PROCEDURES	REFERENCE	C14_COX_LSC
	CP-251	Tritium/Carbon-14 Oxidation, rev 8

AVERAGES ± 2 SD	MDA	4.4	±	4.7
FOR 4 SAMPLES	YIELD	100	±	0

METHOD SUMMARIES

Page 4

SUMMARY DATA SECTION

Page 17

SAMPLE DELIVERY GROUP H2936

Test	H Matrix SOLID	
SDG	7213	
Contact	Melissa C. Mannion	

### METHOD SUMMARY

TRITIUM IN SOLIDS

Client	Hanford	
Contract	No. 630	
Contract	SDG H2936	

#### RSULTS

reparation batch 7113-0	070		
1B5F6	R412300-01	7213-001	158
LK (QC ID=51347)	R412178-04	7194-004	υ
CS (QC ID=51346)	R412178-03	7194-003	ok
uplicate (R412300-01)	R412300-04	7213-004	ok

#### IETHOD PERFORMANCE

LIENT SAMPLE ID	LAB SAMPLE ID	RAW SUF			PREP FAC		# Aletd	EFF t				Prep <b>are</b> d	ANAL- YZED	DETECTOR
reparation batch 7113-	070 2 <i>a</i> pi	ep error	10.0 %	Reference	Lab I	(oteboo)	t 7113	pg.	070					
1B5F6	R412300-01		1.1	20.9			35		7		43	02/03/05	02/03	LSC-007
LK (QC ID=51347)	R412178-04		0.44	20.0			33		50			02/03/05	02/03	LSC-007
CS (QC ID=51346)	R412178-03		0.44	20.0			33		50			02/03/05	02/03	LSC-007
uplicate (R412300-01) (QC ID=51823)	R412300-04		1.2	20.6			34				43	02/03/05	02/03	LSC-007
ominal values and limit	ts from metho	×d	400	20.0	· · ·				25	 	180		· · · · · · · · · · · · · · · · · · ·	<u> </u>

PROCEDURES	REFERENCE	906.0_H3_LSC
	CP-218	Tritium in Soil Samples by Azeotropic
		Distillation, rev 3

AVERAGES ± 2 SD MDA 0.80 ± 0.82
FOR 4 SAMPLES YIELD 34 ± 2

METHOD SUMMARIES

Page 5
SUMMARY DATA SECTION

Page 18

SAMPLE DELIVERY GROUP H2936

Test NI L Matrix SOLID

SDG 7213

Contact Melissa C. Mannion

### METHOD SUMMARY

NICKEL 63 IN SOLIDS LIQUID SCINTILLATION COUNTING Client Hanford
Contract No. 630
Contract SDG H2936

#### RSULTS

LIENT SAMPLE ID	LAB SAMPLE ID	RAW SUF- TEST FIX	PLANCHET	Nicke!	L 63		
	<del></del>	· ···· · · · ·				<u></u>	 -
reparation batch 7113.	-070						
1B5F6	R412300-01		7213-001	ס			
LK (QC ID=51347)	R412178-04		7194-004	U			
CS (QC ID=51346)	R412178-03		7194-003	ok			
uplicate (R412300-01)	R412300-04		7213-004	-	Ū		

### [ETHOD PERFORMANCE

LIENT SAMPLE ID	LAB SAMPLE ID	RAW SUI					\$ YIELD	RFF *				PREPARED	ANAL-	DETECTOR
reparation batch 7113-0	70 2σ pr	ep error	10.0 %	Reference	Lab 1	ot abook	7113	pg.	070					
1B5F6	R412300-01		3.3	0.500			90		50		46	02/04/05	02/06	LSC-007
LK (QC ID=51347)	R412178-04		3.1	0.500			94		50			02/04/05	02/05	LSC-007
CS (QC ID=51346)	R412178-03		3.1	0.500			94		50			02/04/05	02/05	LSC-007
uplicate (R412300-01) (QC ID=51823)	R412300-04		3.3	0.500			87		50		46	02/04/05	02/06	LSC-007
ominal values and limit	s from metho	xd	30	0.500		-	30-10	5	25	· · · · ·	 180		·	

PROCEDURES	REFERENCE	NI63_LSC				
	CP-060	Soil Preparation, rev 7				
	CP-071	Soil Dissolution, > 1.0g Aliquot, rev 5				
	CP-280	Nickel-63 Purification, rev 3				

AVERAGES ± 2 SD MDA 3.2 ± 0.23
FOR 4 SAMPLES YIELD 91 ± 7

METHOD SUMMARIES
Page 6
SUMMARY DATA SECTION
Page 19

 Lab id
 EBRLNE

 Protocol
 Hanford

 Version
 Ver 1.0

 Form
 DVD-CMS

 Version
 3.06

 Report date
 02/22/05

00<del>000022</del>

SAMPLE DELIVERY GROUP H2936

SDG 7213
Contact Melissa C. Mannion

### REPORT GUIDE

Client	Hani	ford
Contract	No.	630
Case no	SDG	H2936

#### SAMPLE SUMMARY

The Sample and QC Summary Reports show all samples, including QC samples, reported in one Sample Delivery Group (SDG).

The Sample Summary Report fully identifies client samples and gives the corresponding lab sample identification. The QC Summary Report shows at the sample level how the lab organized the samples into batches and generated QC samples. The Preparation Batch and Method Summary Reports show this at the analysis level.

The following notes apply to these reports:

- \* LAB SAMPLE ID is the lab's primary identification for a sample.
- \* DEPARTMENT SAMPLE ID is an alternate lab id, for example one assigned by a radiochemistry department in a lab.
- \* CLIENT SAMPLE ID is the client's primary identification for a sample. It includes any sample preparation done by the client that is necessary to identify the sample.
- \* QC BATCH is a lab assigned code that groups samples to be processed and QCed together. These samples should have similar matrices.
  - QC BATCH is not necessarily the same as SDG, which reflects samples received and reported together.
- \* All Lab Control Samples, Method Blanks, Duplicates and Matrix Spikes are shown that QC any of the samples. Due to possible reanalyses, not all results for all these QC samples may be relevant to the SDG. The Lab Control Sample, Method Blank, Duplicate, Matrix Spike and Method Summary Reports detail these relationships.

REPORT GUIDES
Page 1
SUMMARY DATA SECTION
Page 20

SAMPLE DELIVERY GROUP H2936

SDG 7213 Contact Melissa C. Mannion

REPORT GUIDE

Client	Hanford
Contract	No. 630
Case no	SDG H2936

#### PREPARATION BATCH SUMMARY

The Preparation Batch Summary Report shows all preparation batches in one Sample Delivery Group (SDG) with information necessary to check the completeness and consistency of the SDG.

The following notes apply to this report:

- \* The preparation batches are shown in the same order as the Method Summary Reports are printed.
- \* Only analyses of planchets relevant to the SDG are included.
- \* Each preparation batch should have at least one Method Blank and LCS in it to validate client sample results.
- \* The QUALIFIERS shown are all qualifiers other than U, J, B, L and H that occur on any analysis in the preparation batch. The Method Summary Report has these qualifiers on a per sample basis.

These qualifiers should be reviewed as follows:

- X Some data has been manually entered or modified. Transcription errors are possible.
- P One or more results are 'preliminary'. The data is not ready for final reporting.
- 2 There were two or more results for one analyte on one planchet imported at one time. The results in DVD may not be the same as on the raw data sheets.

Other lab defined qualifiers may occur. In general, these should be addressed in the SDG narrative.

REPORT GUIDES
Page 2
SUMMARY DATA SECTION
Page 21

SAMPLE DELIVERY GROUP H2936

SDG <u>7213</u> Contact <u>Melissa C. Mannion</u>

REPORT GUIDE

Client	Hanford
Contract	No. 630
Case no	SDG_H2936

#### WORK SUMMARY

The Work Summary Report shows all samples, including QC samples, and all relevant analyses in one Sample Delivery Group (SDG). This report is often useful as supporting documentation for an invoice.

The following notes apply to this report:

- \* TEST is a code for the method used to measure associated analytes. Results and related information for each analyte are on the Data Sheet Report. In special cases, a test code used in the summary data section is not the same as in associated raw data. In this case, both codes are shown on the Work Summary.
- \* SUFFIX is the lab's code to distinguish multiple analyses (recounts, reworks, reanalyses) of a fraction of the sample. The suffix indicates which result is being reported. An empty suffix normally identifies the first attempt to analyze the sample.
- \* The LAB SAMPLE ID, TEST and SUFFIX uniquely identify all supporting data for a result. The Method Summary Report for each TEST has method performance data, such as yield, for each lab sample id and suffix and procedures used in the method.
- \* PLANCHET is an alternate lab identifier for work done for one test. It, combined with the TEST and SUFFIX, may be the best link to raw data.
- \* For QC samples, only analyses that directly QC some regular sample are shown. The Lab Control Sample, Method Blank, Duplicate, Matrix Spike and Method Summary Reports detail these relationships.
- \* The SAS (Special Analytical Services) Number is a client or lab assigned code that reflects special processing for samples, such as rapid turn around. Counts of tests done are lists by SAS number since it is likely to affect prices.

REPORT GUIDES
Page 3
SUMMARY DATA SECTION
Page 22

SAMPLE DELIVERY GROUP H2936

SDG <u>7213</u>
Contact <u>Melissa C. Mannion</u>

#### REPORT GUIDE

Client	Hanf	ord
Contract	No.	630
Case no	SDG	H2936

#### DATA SHEET

The Data Sheet Report shows all results and primary supporting information for one client sample or Method Blank. This report corresponds to both the CLP Inorganics and Organics Data Sheet.

The following notes apply to this report:

- \* TEST is a code for the method used to measure an analyte. If the TEST is empty, no data is available; the analyte was not analyzed for.
- \* The LAB SAMPLE ID and TEST uniquely identify work within the Summary Data Section of a Data Package. The Work Summary and Method Summary Reports further identify raw data that underlies this work.

The Method Summary Report for each TEST has method performance data, such as yield, for each Lab Sample ID and a list of procedures used in the method.

- \* ERRORs can be labeled TOTAL or COUNT. TOTAL implies a preparation (non-counting method) error has been added, as square root of sum of squares, to the counting error denoted by COUNT. The preparation errors, which may vary by preparation batch, are shown on the Method Summary Report.
- \* A RESULT can be 'N.R.' (Not Reported). This means the lab did this work but chooses not to report it now, possibly because it was reported at another time.
- \* When reporting a Method Blank, a RESULT can be 'N.A.' (Not Applicable). This means there is no reported client sample work in the same preparation batch as the Blank's result. This is likely to occur when the Method Blank is associated with reanalyses of selected work for a few samples in the SDG.

The following qualifiers are defined by the DVD system:

U The RESULT is less than the MDA (Minimum Detectable Activity).

REPORT GUIDES
Page 4
SUMMARY DATA SECTION
Page 23

SAMPLE DELIVERY GROUP H2936

SDG 7213
Contact Melissa C. Mannion

GUIDE, cont.

Client	Hanford
Contract	No. 630
Case no	SDG H2936

#### DATA SHEET

If the MDA is blank, the ERROR is used as the limit.

- J The RESULT is less than the RDL (Required Detection Limit) and no U qualifier is assigned.
- B A Method Blank associated with this sample had a result without a U flag and, after correcting for possibly different aliquots, that result is greater than or equal to the MDA for this sample.

Normally, B is not assigned if U is. When method blank subtraction is shown on this report, B flags are assigned based on the unsubtracted values while U's are assigned based on the subtracted ones. Both flags can be assigned in this case.

For each sample result, all Method Blank results in the same preparation batch are compared. The Method Summary Report documents this and other QC relationships.

- L Some Lab Control Sample that QC's this sample had a low recovery. The lab can disable assignment of this qualifier.
- H Similar to 'L' except the recovery was high.
- P The RESULT is 'preliminary'.
- X Some data necessary to compute the RESULT, ERROR or MDA was manually entered or modified.
- 2 There were two or more results available for this analyte. The reported result may not be the same as in the raw data.

Other qualifiers are lab defined. Definitions should be in the SDG narrative.

The following values are underlined to indicate possible problems:

\* An MDA is underlined if it is bigger than its RDL.

REPORT GUIDES
Page 5
SUMMARY DATA SECTION
Page 24

SAMPLE DELIVERY GROUP H2936

SDG 7213
Contact Melissa C. Mannion

GUIDE, cont.

Client	<u>Hanford</u>
Contract	No. 630
Case no	SDG_H2936

#### DATA SHEET

- \* An ERROR is underlined if the 1.645 sigma counting error is bigger than both the MDA and the RESULT, implying that the MDA may not be a good estimate of the 'real' minimum detectable activity.
- \* A negative RESULT is underlined if it is less than the negative of its 2 sigma counting ERROR.
- \* When reporting a Method Blank, a RESULT is underlined if greater than its MDA. If the MDA is blank, the 2 sigma counting error is used in the comparison.

REPORT GUIDES
Page 6
SUMMARY DATA SECTION
Page 25

SAMPLE DELIVERY GROUP H2936

SDG 7213\_\_\_\_\_\_Contact Melissa C. Mannion

### REPORT GUIDE

Client	Hanford	
Contract	No. 630	
Case no	SDG_H2936	

#### LAB CONTROL SAMPLE

The Lab Control Sample Report shows all results, recoveries and primary supporting information for one Lab Control Sample.

The following notes apply to this report:

- \* All fields in common with the Data Sheet Report have similar usage. Refer to its Report Guide for details.
- \* An amount ADDED is the lab's value for the actual amount spiked into this sample with its ERROR an estimate of the error of this amount.

An amount added is underlined if its ratio to the corresponding RDL is outside protocol specified limits.

- \* REC (Recovery) is RESULT divided by ADDED expressed as a percent.
- \* The first, computed limits for the recovery reflect:
  - 1. The error of RESULT, including that introduced by rounding the result prior to printing.

If the limits are labeled (TOTAL), they include preparation error in the result. If labeled (COUNT), they do not.

- 2. The error of ADDED.
- 3. A lab specified, per analyte bias. The bias changes the center of the computed limits.
- \* The second limits are protocol defined upper and lower QC limits for the recovery.
- \* The recovery is underlined if it is outside either of these ranges.

REPORT GUIDES
Page 7
SUMMARY DATA SECTION
Page 26

SAMPLE DELIVERY GROUP #2936

SDG 7213
Contact Melissa C. Mannion

### REPORT GUIDE

Client	Hani	ford	
Contract	No.	630	
Case no	SDG	H2936	

#### DUPLICATE

The Duplicate Report shows all results, differences and primary supporting information for one Duplicate and associated Original sample.

The following notes apply to this report:

\* All fields in common with the Data Sheet Report have similar usage. This applies both to the Duplicate and Original sample data. Refer to the Data Sheet Report Guide for details.

If the Duplicate has data for a TEST and the lab did not do this test to the Original, the Original's RESULTs are underlined.

\* The RPD (Relative Percent Difference) is the absolute value of the difference of the RESULTs divided by their average expressed as a percent.

If both RESULTs are less than their MDAs, no RPD is computed and a '-' is printed.

For an analyte, if the lab did work for both samples but has data for only one, the MDA from the sample with data is used as the other's result in the RPD.

\* The first, computed limit is the sum, as square root of sum of squares, of the errors of the results divided by the average result as a percent, hence the relative error of the difference rather than the error of the relative difference. The errors include those introduced by rounding the RESULTs prior to printing.

If this limit is labeled TOT, it includes the preparation error in the RESULTs. If labeled CNT, it does not.

This value reported for this limit is at most 999.

- \* The second limit for the RPD is the larger of:
  - 1. A fixed percentage specified in the protocol.

REPORT GUIDES

Page 8

SUMMARY DATA SECTION

Page 27

Lab id EBRLNE
Protocol Hanford
Version Ver 1.0
Form DVD-RG
Version 3.06

Report date <u>02/22/05</u>

SAMPLE DELIVERY GROUP H2936

SDG 7213
Contact Melissa C. Mannion

GUIDE, cont.

Client	Hanford
Contract	No. 630
Case no	SDG_H2936

#### DUPLICATE

- 2. A protocol factor (typically 2) times the average MDA as a percent of the average result. This limit applies when the results are close to the MDAs.
- \* The RPD is underlined if it is greater than either limit.
- \* If specified by the lab, the second limit column is replaced by the Difference Error Ratio (DER), which is the absolute value of the difference of the results divided by the quadratic sum of their one sigma errors, the same errors as used in the first limit.

Except for differences due to rounding, the DER is the same as the RPD divided by the first RPD limit with the limit scaled to 1 sigma.

\* The DER is underlined if it is greater than the sigma factor, typically 2 or 3, shown in the header for the first RPD limit.

REPORT GUIDES

Page 9

SUMMARY DATA SECTION

Page 28

SAMPLE DELIVERY GROUP H2936

SDG 7213
Contact Melissa C. Mannion

REPORT GUIDE

Client	Hanford	
Contract	No. 630	
Case no	SDG_H2936	<del></del>

#### MATRIX SPIKE

The Matrix Spike Report shows all results, recoveries and primary supporting information for one Matrix Spike and associated Original sample.

The following notes apply to this report:

\* All fields in common with the Data Sheet Report have similar usage. This applies both to the Spiked and Original sample data. Refer to the Data Sheet Report Guide for details.

If the Spike has data for a TEST and the lab did not do this test to the Original, the Original's RESULTs are underlined.

\* An amount ADDED is the lab's value for the actual amount spiked into the Spike sample with its ERROR an estimate of the error of this amount.

An amount is underlined if its ratio to the corresponding RDL is outside protocol specified limits.

- \* REC (Recovery) is the Spike RESULT minus the Original RESULT divided by ADDED expressed as a percent.
- \* The first, computed limits for the recovery reflect:
  - 1. The errors of the two RESULTs, including those introduced by rounding them prior to printing.

If the limits are labeled (TOTAL), they include preparation error in the result. If labeled (COUNT), they do not.

- 2. The error of ADDED.
- 3. A lab specified, per analyte bias. The bias changes the center of the computed limits.
- The second limits are protocol defined upper and lower QC limits

REPORT GUIDES
Page 10
SUMMARY DATA SECTION
Page 29

SAMPLE DELIVERY GROUP H2936

SDG 7213
Contact Melissa C. Mannion

GUIDE, cont.

Client	Hanford
Contract	No. 630
Case no	SDG_H2936

#### MATRIX SPIKE

for the recovery.

These limits are left blank if the Original RESULT is more than a protocol defined factor (typically 4) times ADDED. This is a way of accounting for that when the spike is small compared to the amount in the original sample, the recovery is unreliable.

\* The recovery is underlined (out of spec) if it is outside either of these ranges.

REPORT GUIDES
Page 11
SUMMARY DATA SECTION
Page 30

SAMPLE DELIVERY GROUP H2936

SDG 7213
Contact Melissa C. Mannion

#### REPORT GUIDE

Client	Hanford	
Contract	No. 630	
Case no	SDG H2936	

#### METHOD SUMMARY

The Method Summary Report has two tables. One shows up to five results measured using one method. The other has performance data for the method. There is one report for each TEST, as used on the Data Sheet Report.

The following notes apply to this report:

\* Each table is subdivided into sections, one for each preparation batch. A preparation batch is a group of aliquots prepared at roughly the same time in one work area of the lab using the same method.

There should be Lab Control Sample and Method Blank results in each preparation batch since this close correspondence makes the QC meaningful. Depending on lab policy, Duplicates need not occur in each batch since they QC sample dependencies such as matrix effects.

\* The RAW TEST column shows the test code used in the raw data to identify a particular analysis if it is different than the test code in the header of the report. This occurs in special cases due to method specific details about how the lab labels work.

The Lab Sample or Planchet ID combined with the (Raw) Test Code and Suffix uniquely identify the raw data for each analysis.

\* If a result is less than both its MDA and RDL, it is replaced by just 'U' on this report. If it is greater than or equal to the RDL but less than the MDA, the result is shown with a 'U' flag.

The J and X flags are as on the data sheet.

- \* Non-U results for Method Blanks are underlined to indicate possible contamination of other samples in the preparation batch. The Method Blank Report has supporting data.
- \* Lab Control Sample and Matrix Spike results are shown as: ok, No data, LOW or HIGH, with the last two underlined. 'No data'

REPORT GUIDES
Page 12
SUMMARY DATA SECTION
Page 31

SAMPLE DELIVERY GROUP H2936

SDG 7213
Contact Melissa C. Mannion

GUIDE, cont.

Client	Hanford
Contract	No. 630
Case no	SDG H2936

#### METHOD SUMMARY

means no amount ADDED was specified. 'LOW' and 'HIGH' correspond to when the recovery is underlined on the Lab Control Sample or Matrix Spike Report. See these reports for supporting data.

- \* Duplicate sample results are shown as: ok, No data, or OUT, with the last two underlined. 'No data' means there was no original sample data found for this duplicate. 'OUT' corresponds to when the RPD is underlined on the Duplicate Report. See this report for supporting data.
- \* If the MDA column is labeled 'MAX MDA', there was more than one result measured by the reported method and the MDA shown is the largest MDA. If not all these results have the same RDL, the MAX MDA reflects only those results with RDL equal to the smallest one.

MDAs are underlined if greater than the printed RDL.

- \* Aliquots are underlined if less than the nominal value specified for the method.
- \* Prepareation factors are underlined if greater than the nominal value specified for the method.
- \* Dilution factors are underlined if greater than the nominal value specified for the method.
- \* Residues are underlined if outside the range specified for the method. Residues are not printed if yields are.
- \* Yields, which may be gravimetric, radiometric or some type of recovery depending on the method, are underlined if outside the range specified for the method.
- \* Efficiencies are underlined if outside the range specified for the method. Efficiencies are detector and geometry dependent so this test is only approximate.

REPORT GUIDES
Page 13
SUMMARY DATA SECTION
Page 32

SAMPLE DELIVERY GROUP H2936

SDG 7213 Contact Melissa C. Mannion

GUIDE, cont.

Client	Hanford
Contract	No. 630
Case no	SDG_H2936

#### METHOD SUMMARY

- \* Count times are underlined if less than the nominal value specified for the method.
- \* Resolutions (as FWHM; Full Width at Half Max) are underlined if greater than the method specified limit.
- \* Tracer drifts are underlined if their absolute values are greater than the method specified limit. Tracer drifts are not printed if percent moistures are.
- \* Days Held are underlined if greater than the holding time specified in the protocol.
- \* Analysis dates are underlined if before their planchet's preparation date or, if a limit is specified, too far after it.

For some methods, ratios as percentages and error estimates for them are computed for pairs of results. A ratio column header like '1+3' means the ratio of the first result column and the third result column.

Ratios are not computed for Lab Control Sample, Method Blank or Matrix Spike results since their matrices are not necessarily similar to client samples'.

The error estimate for a ratio of results from one planchet reflects only counting errors since other errors should be correlated. For a ratio involving different planchets, if QC limits are computed based on total errors, the error for the ratio allows for the preparation errors for the planchets.

The ratio is underlined (out of spec) if the absolute value of its difference from the nominal value is greater than its error estimate. If no nominal value is specified, this test is not done.

For Gross Alpha or Gross Beta results, there may be a column showing the sum of other Alpha or Beta emitters. This sum includes all relevant

REPORT GUIDES
Page 14
SUMMARY DATA SECTION
Page 33

#### EBERLINE SERVICES/RICHMOND

SAMPLE DELIVERY GROUP H2936

SDG 7213
Contact Melissa C. Mannion

GUIDE, cont.

Client	Hanford
Contract	No. 630
Case no	SDG H2936

#### METHOD SUMMARY

results in the DVD database, whether reported or not. Results in the sum are weighted by a particles/decay value specified by the lab for each relevant analyte. Results less than their MDA are not included. No sums are computed for Lab Control, Method Blank or Matrix Spike samples since their various planchets may not be physically related.

If a ratio of total isotopic to Gross Alpha or Beta is shown, the error for the ratio reflects both the error in the Gross result and the sum, as square root of sum of squares, of the errors in the isotopic results.

For total elemental uranium or thorium results, there may be a column showing the total weight computed from associated isotopic results. Ignoring results less than their MDAs, this is a weighted sum of the isotopic results. The weights depend on the molecular weight and half-life of each isotope so as to convert activities (decays) to weight (atoms).

If a ratio of total computed to measured elemental uranium or thorium is shown, the error for the ratio reflects the errors in all the measurements.

REPORT GUIDES
Page 15
SUMMARY DATA SECTION
Page 34

Lab id EBRLNE
Protocol Hanford
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 02/22/05

									000000000000000000000000000000000000000			
COLLECTOR Pope/Pfister		<i>у</i> га	COMPANY CON	TACT		<b>EPHONE NO</b> '3-3928	•	TRENT, SI	COORDINATOR	PRICE CODE	8N	DATA TURNAROUND
SAMPLING			PROJECT DESIGNATION + 2936 (7213) 200-PW-2/200-PW-4 OU - Borehole Soil Sampling			SAF NO.				45 Days /		
			200-PW-2/200-P	W-4 OU - Borehole	Soil Samplin	2 (121	ا د	F03-006				45 Days
ICE CHEST	NO. ANT	1201.5 R 1201.01 159 GIRP-04-004	FIELD LOGBOO			COA		METHOD (	OF SHIPMENT	_ <del> </del>	<del></del>	
100	11.60	- CH N-004	1 .		1	119153ES10	)	Federal Ex	press	•		
SHIPPED TO		354-01111-01-001	HNF-N	-336					ADING/AIR BIAL !		<del></del>	
Eberline Ser			Oristierko	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	1462	) <b>(</b> )			OTT	1/1/ 21/		
		<del></del>		X F IIC		<u>~</u>	<del>,</del>			14091	- <sub>1</sub>	<del></del>
MATRIX* A≖Air	POSS	IBLE SAMPLE HAZARDS/ REMARKS	PRESER	VATION	None		}					İ
Dl.=Drum Liquids			<u> </u>		aG	<del> </del>			<del>                                     </del>		<del></del>	
DS=Drum			TYPE OF C	ONTAINER	a-3		ţ					}
Solids L=Liquid			ļ		<u> </u>	<del> </del>	-	<del></del> -	<del> </del>		+	<del></del>
D=06 5=Soil			NO. OF COM	ITAINER(S)	•		į					
E=Sediment					120mL							
T=Tissue V=Vegitation			VOL	UME			}					
W=Water WI=Wipe			<del> </del>		SEE ITEM (1) IN	<del> </del>	<del> </del>		<del> </del>		-	
X=Other		TAL HANDLING AND/OR STORAGE	SAMPLE A	NALYSIS	SPECIAL INSTRUCTIONS		1					1
	KADIOA	CTIVE TIE TO: B1B594	1		25.120.100							
	1						1					1
SAM	PLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIME								
31B5F6		SOIL	19/22/14	1/20	X							
			9-7-1	//	<del></del>	<del> </del>	+		<del> </del>			
			<del> </del>	-	<del> </del>	<del> </del>	<del></del>					
			<del> </del>			ļ	<del> </del>				<del>  </del>	
			ļ		ļ	<u> </u>	<u> </u>		<u> </u>			
			ŀ	1		}						
CHAIN OF F	OSSESSI	ON	SIGN/ PRINT	NAMES			5	PECIAL INST	RUCTIONS			
RELINQUISH	ED BY/REM	DATE/TIME	RECEIVED BY	STORED IN STORED IN	Bau	DATE/ DATE/ DATE/ DATE/	TIME TIME	1)Technetium 33; Tritium - H	-99; Isotopic Thor 3;	ium {Thorium-23a	2} Carbon-14;	Iodine-129; Nickel
RELINQUISH			RECEIVED BY/S			DATE/						
LABORAT SECTIO	UKT	RECEIVED BY		<del>- ,</del>		- <del></del>	T	TITLE	<u> </u>		DATI	E/TIME
FINAL SAN	TPLE	DISPOSAL METHOD					D	ISPOSED BY		· · · · · · · · · · · · · · · · · · ·	DATI	E/TIME

\_\_\_\_

# EBERLINE

# RICHMOND, CA LABORATORY

#### SAMPLE RECEIFT CHECKLIST

Cliente Fluor Vanford City Richard State WA	<del>-</del>
Dece/Time received 144/04 18:33 COC No. Fo 3 - 006 - 297. 316	<b></b>
DETENTINE PECHANICATION COLUMN	
Container I.D. No. 62004-009 Requested TAT (Days) 45 P.O. Received Yes [ ] No [	1
INSPECTION	
1. Custody seals on shipping container intact? Yes No [ ] N/A [	1
2. Custody seals on shipping container dated & signed? Yes   No [ ] N/A [	1
3. Custody saals on sample containers intact? Yes [>o] No [ ] N/A [	3
4. Custody seals on sample containers dated & signed? Yes [4] No [ ] N/A [	1
5. Packing material is: Wet [ ] Dry [X]	
6. Number of samples in shipping container. 2 Sample Matrix Soy)	_
7. Number of containers per sample:	- 1
8. Samples are in correct container Yes (**) No ( )	1
9. Paperwork agrees with samples? Yes [Y] No [ ]	
10. Samples have: Tape [ ] Hazard labels [ ] Rad labels [ ] Appropriate sample labels [ ]	
11. Samples are: In good condition [ ] Lasking [ ] Broken Container [ ] Missing [ ]	- [
12. Samples are: Preserved [ ] Not preserved [ ] pH Preservetive	_
13. Describe any anomalies:	
	1
14. Was P.M. notified of any anomalies? Yes [ ] No [ ] Date	j
15. Inspected by Date: 1/19/09 Time: _10:00	
Customer Sample Customer Sample	
No. cpm mR/hr wipe No. cpm mR/hr wip	ie.
BIBS F6 (I container) for chem.	
BIBSH3 (Ican/ISponlins) for Shaw	
on Chamber Ser. No Calibration date	-
Alpha Meter Ser. No Calibration date	
Beta/Gamma Meter Ser. No Calibration date	_



Mr. Steve Trent Fluor Hanford Inc. 825 Jadwin Ave. Richland, WA 99352

Subject: Contract No. 630

**Analytical Data Package** 

Dear Mr. Trent:

Enclosed are the hard copy analytical reports for the batch number/fraction indicated (marked X) in the following table:


LvLI Batch #	0412L570
SDG#	H2936
SAF#	F03-006
Date Received	1-7-05
# Samples	2
Matrix	Soil
Volatiles	
Semivolatiles	
Pest/PCB	
DRO/GRO/KRO	
Herbicides	
GC Alcohol	
Metals	
Inorganics	Χ

The electronic data deliverable (EDD) will be emailed shortly. If you have any questions, please don't hesitate to contact me at (610) 280-3012.

Sincerely,

Lignville Laboratory Incorporated

Orlette S. Johnson Project Manager



# Lionville Laboratory, Inc. INORGANIC ANALYTICAL DATA PACKAGE FOR TNUHANFORD F03-006 H2936

DATE RECEIVED: 01/07	/05			;	LVL LOT # :0501L570		
CLIENT ID /ANALYSIS	TAT #	MTX	PREP #	COLLECTION	EXTR/PREP	ANALYSIS	
B1B5F6							
* SOLIDS CHROMIUM VI NITRATE NITRITE NITRATE NITRITE NITRATE NITRITE OIL & GREASE BY GRAV OIL AND GREASE BY GR OIL AND GREASE BY GR	001 001 001 REP 001 MS 001 001 REP 001 MS	***************************************	05L*S003 05LVI003 05LN3B04 05LN3B04 05LN3B04 05LOG003 05LOG003	12/22/04 12/22/04 12/22/04 12/22/04 12/22/04 12/22/04 12/22/04 12/22/04	01/10/05 01/12/05 01/19/05 01/19/05 01/19/05 01/14/05 01/14/05 01/14/05	01/10/05 01/12/05 01/19/05 01/19/05 01/19/05 01/15/05 01/15/05	
B1B5F7  * SOLIDS CHROMIUM VI CHROMIUM VI CHROMIUM VI CHROMIUM VI NITRATE NITRITE OIL & GREASE BY GRAV	002 002 002 REP 002 MS 002 MSD 002 002	ស ស ស ស ស ស ស	05L%S003 05LVI003 05LVI003 05LVI003 05LVI003 05LN3B04 05LOG003	12/29/04	01/10/05 01/12/05 01/12/05 01/12/05 01/12/05 01/19/05 01/14/05	01/10/05 01/12/05 01/12/05 01/12/05 01/12/05 01/19/05 01/15/05	
LAB QC:							
CHROMIUM VI CHROMIUM VI CHROMIUM VI NITRATE NITRITE NITRATE NITRITE OIL & GREASE BY GRAV OIL AND GREASE BY GR	MB1 BS MB1 BSD MB1 BS MB1 BS MB1 BS MB1 BS MB1 BS	១១១១១១១១	05LVI003 05LVI003 05LVI003 05LN3B04 05LN3B04 05LOG003 05LOG003	N/A N/A N/A N/A N/A	01/12/05 01/12/05 01/12/05 01/19/05 01/19/05 01/14/05 01/14/05	01/12/05 01/12/05 01/12/05 01/19/05 01/19/05 01/15/05 01/15/05	



#### **Analytical Report**

Client: TNU-HANFORD F03-006 H2936

LVL#: 0501L570

W.O.#: 11343-606-001-9999-00

Date Received: 01-07-05

#### INORGANIC NARRATIVE

This narrative covers the analyses of 2 soil samples. 1.

- The samples were prepared and analyzed in accordance with the methods indicated on the attached 2. glossary.
- Sample holding times as required by the method and/or contract were met. 3.
- The results presented in this report are derived from samples that met LvLl's sample acceptance 4. policy.
- The method blanks were within the method criteria. 5.
- 6. The Laboratory Control Samples (LCS) were within the laboratory control limits.
- The matrix spike recoveries for Chromium VI, Nitrate Nitrite and Oil and Grease were within the 7. 75-125% control limits.
- The replicate analyses Chromium VI and Oil and Grease were within the 20% Relative Perecent 8. Difference (RPD) control limit however replicate analysis for Nitrate Nitrite was outside the control limit that may be attributed to sample inhomogeneity.
- Results for solid samples are reported on a dry weight basis. 9.
- I certify that this sample data package is in compliance with SOW requirements, both technically 10. and for completeness, other than the conditions detailed above. Release of the data contained in this hard copy package has been authorized by the Laboratory Manager or a designee, as verified by the following signature.

Lionville Laboratory Incorporated

njp\i01-570

The results presented in this report relate to the analytical testing and conditions of the samples upon receipt and during storage. All pages of this report are integral parts of the analytical data. Therefore, this report should only be reproduced in its entirety of 12 pages.

# Lionville Laboratory Incorporated WET CHEMISTRY

# METHODS GLOSSARY FOR SOIL/SOLIDS SAMPLE ANALYSIS

	<u>ASTM</u>	<u>SW846</u>	<u>OTHER</u>
% Ash	D2216-80		
% Moisture	D2216-80		ILMO4.0 (e)
% Solids	D2216-80		ILMO4.0 (e)
% Volatile Solids	D2216-80		
ASTM Extraction in Water	D3987-81/85		
BTU	 D240-87		
CEC		9081	c
Chromium VI		3060A/7196A	<del>_</del>
Corrosivity by coupon by pH		1110(mod) 9045C	
Cyanide, Total	•	9010B	ILMO4.0 (e)
Cyanide, Reactive		Section 7.3/9014	_
Halides, Extractable Organic		9020B	EPA 600/4/84-008
Halides, Total		9020B	EPA 600/4/84-008
EP Toxicity		1310A	
Flash Point		1010	
Ignitability		1010	1 . 1
Oil & Grease		√ 9071A(mod.)	I EPA 413.1 (mod.)
Carbon, Total Organic		9060	Lloyd Kahn (mod)
Oxygen Bomb Prep for Anions	D240-87(mod)	5050	
Petroleum Hydrocarbons, Total Rec	coverable	9071	EPA 418.1
pH, Soil		9045C	
Sulfide, Reactive		Section 7.3/9030B	
Sulfide		9030B(mod)	
Specific Gravity	D1429-76C/ _	D5057-90	
Sulfur, Total		9056	
Synthetic Preparation Leach		1312	
Paint Filter		9095A	
Other: Attrate Attrite	Method: E	PA353.2 (mod.)	
Other:	Method		

## Lionville Laboratory Incorporated

# METHOD REFERENCES AND DATA QUALIFIERS

## **DATA QUALIFIERS**

- U = Indicates that the parameter was not detected at or above the reported limit. The associated numerical value is the sample detection limit.
- \* = Indicates that the original sample result is greater than 4x the spike amount added.

### **ABBREVIATIONS**

MB = Method or Preparation Blank.

MS = Matrix Spike.

MSD = Matrix Spike Duplicate.

REP = Sample Replicate

LC = Laboratory Control Sample.

NC = Not calculated.

A suffix of -R, -S, or -T following these codes indicate a replicate, spike or sample duplicate analysis respectively.

# ANALYTICAL WET CHEMISTRY METHODS

- ASTM Standard Methods.
- USEPA Methods for Chemical Analysis of Water and Wastes (USEPA 600/4-79-020).
- 3. Test Methods for Evaluating Solid Waste (USEPA SW-846).
- a. Standard Methods for the Examination of Water and Waste, 16 ed, (1983).
- b. Standard Methods for the Examination of Water and Waste, 17 ed, (1989)/18ed (1992).
- c. <u>Method of Soil Analysis</u>, Part 1, Physical and Mineralogical Methods, 2nd ed, (1986).
- d. Method of Soil Analysis, Part 2, Chemical and Microbiological Properties, Am. Soc. Agron., Madison, Wl (1965).
- e. USEPA Contract Laboratory Program, Statement of Work for Inorganic Analysis.
- f. Code of Federal Regulations.

#### INORGANICS DATA SUMMARY REPORT 01/24/05

CLIENT: TNUHANFORD F03-006 H2936

LVL LOT #: 0501L570

WORK	ORDER:	11343-606-001-9999-00	
------	--------	-----------------------	--

WORK OND	J. 12515 VVV VVI 1115				REPORTING	DILUTION
SAMPLE	SITE ID	ANALYTE	result	UNITS	LIMIT	FACTOR
******	************					
-001	B1B5F6	* Solids	98.2	*	0.01	. 1.0
		Chromium VI	0.20 u	MG/KG	0.20	1.0
		Nitrate Nitrite	3.2	MG/KG	0.20	1.0
		Oil & Grease Gravimetri	679 u	MG/KG	679	1.0
-002	B1B5F7	% Solids	97.0	Ł	0.01	1.0
		Chromium VI	0.21	MG/KG	0.21	1.0
		Nitrate Nitrite	. 45.0	MG/KG	1.0	5.0
		Oil & Grease Gravimetri	687 u	MG/KG	687	1.0

#### INORGANICS METHOD BLANK DATA SUMMARY PAGE 01/24/05

CLIENT: TNUHANFORD F03-006 H2936

LVL LOT #: 0501L570

WORK ORDER: 11343-606-001-9999-00

SAMPLE	SITE ID	ANALYTE	RESULT	UNITS	REPORTING LIMIT	FACTOR
	医拉克巴巴尔 计图像表示 医耳耳氏 医抗性性				*****	
BLANK10	05LVI003-MB1	Chromium VI	0.20 น	MG/KG	0.20	1.0
BLANK10	05LN3B04-MB1	Nitrate Nitrite	0.20 น	MG/KG	0.20	1.0
BLANK10	05LOG003-MB1	Oil & Grease Gravimetri	667 u	MG/KG	667	1.0

LVL LOT #: 0501L570

#### INORGANICS ACCURACY REPORT 01/24/05

CLIENT: TNUHANFORD F03-006 H2936

WORK ORDER: 11343-606-001-9999-00

			SPIKED	INITIAL	SPIKED		DILUTION
SAMPLE	SITE ID	ANALYTE	SAMPLE	RESULT	AMOUNT	*RECOV	FACTOR (SPK)
	***********	*************					
-001	B1B5F6	Nitrate Nitrite	8.6	3.2	5.1	106.6	1.0
		Oil & Grease Gravimetr	8420	679 u	8940	94.1	1.0
-002	B1B5F7	Soluble Chromium VI	4.2	0.21	4.1	97.8	1.0
		Insoluble Chromium VI	1340	0.21	1180	113.8	100
BLANK10	05LVI003-MB1	Soluble Chromium VI	4.0	0.20u	4.0	100.2	1.0
		Insoluble Chromium VI	1240	0.20u	1170	106.1	100
BLANK10	05LN3B04-MB1	Nitrate Nitrite	5.1	0.20u	5.0	102.8	1.0
BLANK10	05LOG003-MB1	Oil & Grease Gravimetr	8210	667 u	8790	93.5	1.0

#### INORGANICS PRECISION REPORT 01/24/05

CLIENT: TNUHANFORD F03-006 H2936

LVL LOT #: 0501L570

WORK ORDER: 11343-606-001-9999-00

			INITIAL			DILUTION
SAMPLE	SITE ID	ANALYTE	RESULT	REPLICATE	RPD	Factor (REP)
*****					*****	********
-001REP	B1B5F6	Nitrate Nitrite	3.2	0.23	173.0	1.0
		Oil & Grease Gravimetri	679 u	679 u	NC	1.0
-002REP	B185F7	Chromium VI	0.21	0.26	19.4	1.0

Lionville	Laboratory	Use	Only

0501L570

# Custody Transfer Record/Lab Work Request Page\_\_/of\_/\_

|--|

FIELD PERSONNEL: COMPLETE ONLY SHADED AREAS

See SRC

Client 953	NU		FO	3-00%			Refriger	itor#											4					
	147.1 1146.1 1188.1	ASSESSED ON	0/ <i>=21</i> 9	19-00	ng ye		#/Type 0	Container	Liquid Solid		1 de 1 de 1						· 含.		iagl					
Project Conta	et/Pho				V. 677 (19)		Volume		Liquid Sofid							- 100 - 100	8. 18. 18.		/ <b>3</b> 0	高量 Basselen				
DE ( 022)			4 4	Daw	<u>. 1875 - 1777</u> 197 (1982 - 178		Preserva	tives	1000年						. X				100					\$ 100 m
				2/6/03			ANALYS REQUES			VOA	ORG VA	Pest/ PCB 31/	Herb				Metal	RG Z	ces	7857V				
	1	T ·						[	<u>.</u>	<u> </u>	L		1	<u>.                                    </u>	Llon	ville La		ry Use			1	Listin		L
MATRIX CODES:  9 - Soll SE - Sediment SO's Sold SL - Studge W - Water	Lab ID	Cilen	t iD/Descrip	itlen	Ch	etrix CC osen </th <th>Matrix</th> <th>Date Collected</th> <th>Time Collected</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>ICRE</th> <th>ENEM</th> <th></th> <th></th> <th></th> <th></th>	Matrix	Date Collected	Time Collected										ICRE	ENEM				
O - OII	001	B1BSF6					S	12/22/04	1120	1 1									1	1	5% (A)		1	
DS Poum Solida	002	L PH					. بل	12/29/04	0930			. :							: 1	1	i de la constante de la consta	19.45 18.45		
Di. Drum Liquida	-1					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1		8 to 100	Tar s				1 -4 S .			1				1		×	25 T
L = EP/TGLP Leachate												**						V.				17		9-17
Wi - Wipe X - Other					4.					1					-							A 49 1 A		2
F Flah										3.50										- 3.7%		37.0		
	:				14														4 545 C				N# 1	
			"是宝宝"									1 20									X. 1	3.7		
	<u>.</u>										24.5								\$400	. 4	12.4			
										3.54		V=-/.				,	1 12 12 12 1 12 12 18	17.5			7.00			14
Special Instru	ctions;		<del></del>	<u></u>	·	DATE	/REVISIO	NS:			-		<del></del>	·*·	<u> </u>			<u> </u>		<u> </u>			<u> </u>	٠٠٠٠
·								. 1					·						····					
								. <b>s</b>						<del></del>										
							<del></del>				<del></del>			_				-			<del></del>			
								. 4 5.					• •											
		eix ac		,				. 6														· · · · · · · · · · · · · · · · · · ·		
Relinquishe by	od	Received by	Dete	Time		juished by		Received by		Date	TĿ	me	'	lupnile f Vd				<del>:elved</del> by		Date	.	Time		
FEREX		Spun	1/7/05	1935				· · · · · · · · · · · · · · · · · · ·						<b>"</b> CC	MPC	Agitr		C	RIE	INA	1		İ	
		J	1												/AST				EW					

İ		PIX 100111010 AUG		UMU1		I Januar PP W	1474   JAJ 1	rdora.		103-000-300		LHOL I	Oi I	
COLLECTOR	t		COMPANY CON	TACT	TEL	EPHONE NO	•	PROJECT	COORDINATOR	PRICE CODE	8N	D.	ATA	
Pope/Pfister	/Wiberg/Tyra	<b>1</b>	LC Hulstrom		37	73-3928		TRENT, S	3	PRICE CODE			AROUND	
SAMPLING	LOCATION		PROJECT DESIG	MOITAN				SAF NO.		AIR QUALITY			Days / Days	
	16-5-7, 199-2		200-PW-2/200-P	W-4 OU - Borehol	e Soll Samplir	19								
ICE CHEST	NO. MAS	114/05	FIELD LOGBOO	K NO.		COA		METHOD	OF SHIPMENT					
ACS	4404	9 9Hars-500	HNF-N	-336 1		119153ES10	)	Federal E	xpress					
SHIPPED TO	0	7.7 3	OFFSITE PROP	RTY NO.	11/1	Λ		BILL OF	LADING/AIMBILLAN	0./// 1	-			
Lionville Lab	oratory Incor	rporated	2	IMIC	1440	14			20 ML	14627				
MATRIX*	POSSIB	LE SAMPLE HAZARDS/ REMARKS	PRESER	NOTTAY	Cool 4C	•					İ			
DL=Drum Liquids DS=Drum		•	TYPE OF C	ONTAINER	aG	<del>                                     </del>	<del> </del>	_			-	-	ļ	
Solids L=Liquid O≈Oil			NO. OF CO	ITAINER(S)	1		<del> </del>							
S=Sofi SE=Sediment T=Tissue V=Vegitation W=Water			VOL	UME	120mL									
WI=Wipe X=Other		AL HANDLING AND/OR STORAGE TIVE TIE TO: B18594	SAMPLE A	MALYSIS	SEE ITEM (1) IN SPECIAL INSTRUCTIONS	i								
SAM	PLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIME						i de la companya de l				
B1B5F6		SOIL	12/22/41	1000	V			"		<u></u>				
			12/22/04	1120	$+$ $\sim$	<del> </del>	<del>-</del>		+		<del> </del>	<del></del>	<del> </del>	
ļ		·			<b></b>	<del> </del>					<del> </del>		<del> </del>	
				<u> </u>							ļ		<u> </u>	
									1		}			
CHAIN OF	POSSESSIO	 N	SIGN/ PRIN	T NAMES	<del>-1</del>	1	1:	SPECIAL INST	RUCTIONS		<u> </u>	· <del>·</del>	1	
RELINQUISH RELINQUISH RELINQUISH RELINQUISH	ED BY/REMO	DATE/TIME DATE/TIME DATE/TIME DATE/TIME DATE/TIME DATE/TIME DATE/TIME DATE/TIME DATE/TIME DATE/TIME DATE/TIME DATE/TIME DATE/TIME	RECEIVED BY/ RECEIVED BY/ RECEIVED BY/ RECEIVED BY/ RECEIVED BY/	STORED IN STORED IN STORED IN STORED IN	J. Bau	DATE/ DATE/ DATE/ DATE/ DATE/	TIME TIME 935 TIME	(1)Chromium	Hex-7196; OH & G		le lug	m tuk	AB	
LABORAT SECTI	IURT	ECEIVED BY					1	IITLE			C	PATE/TIME		
FINAL SA DISPOSI	MPLE	ISPOSAL METHOD						DISPOSED BY				PATE/TIME	<del></del>	

۲,

•	FLU	IOR Hanford Inc.		CHAIN	OF CUSTOD	Y/SAMPLE	ANALTOLD H	EQUES I		- 1	LA3-AA0-3A2		PAGE I	OF 1	4
COLLECTOR			COMPANY CONT	ACT	TEL	EPHONE N	10.	PROJEC	COORDINATOR	1	PRICE CODE	8N		ATA	+
Pope/Pfister/		ra	LC Hulstrom		3	73-3928		TRENT,	s)		PRICE CODE	OIT		AROUND	1
SAMPLING I	LOCATION	1	PROJECT DESIG	NATION				SAF NO.			AIR QUALITY			ays /	
200-PW2/21			200-PW-2/200-P\	N-4 OU - Boreho	ie Soil Samplin	ng		F03-006					· C+	Days	
ICE CHEST			FIELD LOGBOOM	NO.		COA		METHOE	OF SHIPMENT						į
AE	5044	SHUB-DOD				119153E	510	Federal	Express						i !
SHIPPED TO		5-1 2000 500	OFFSITE PROPE	RTY N9:7	2	20		BILL OF	LADING/AIR 51	LL N9	111/ \	2			
Lionville Lab		orporated	1	$\mathcal{V}\mathcal{T}\mathcal{K}$	- 1464			-	24 Y	TK	1440	1			_
MATRIX*	DOSCI	BLE SAMPLE HAZARDS/ REMARKS	PRESER	/ATTON	Cool 4C		1				-				Ì
A=Air DL=Drum	PUSSI	BLE SAMPLE HAZARUS/ KEMAKKS	V (LISER	_	_							<u> </u>			-
Liquids		•	TYPE OF C	ONTAINER	a-G				i i			i			
DS=Drum Solids												ļ		ļ <u>.</u>	
L=Liquid L=Cil		•	NO. OF CONTAINER(S)		1				ľ			1			
S=Soli SE=Sediment					120mL	1			1 1			ĺ			
T=Tissue V=Vegitation			VOL	UME	120mL										
W=Water				<del>,</del>	SEE (TEM (1) I							<del> </del>	<del>-  </del>	<del> </del> -	$\dashv$
WI=Wipe X=Other		IAL HANDLING AND/OR STORAGE	SAMPLE /	<b>INALYSIS</b>	SPECIAL INSTRUCTION				1 1						١
	RADIOA	CTIVE TIE TO: B18595			ING I NUCLIONS	1		-	1 1						
		•													-
SAM	PLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIM	E										
B1B5F7				0930	V		-								٦
	<del></del>		12/ 61/04	0730	+~			<del>- </del>							-
					<del></del>						<del></del>	<del> </del>	<del></del>	<del> </del>	
<u> </u>											<del></del>				
i 												ļ. —		ļ <u>.                                  </u>	
												<u> </u>		<u> </u>	
CHAIN OF	POSSESSI	ON	SIGN/ PRINT	T NAMES					TRUCTIONS						
RELINOUISH	ED BY (REF	HOVED FROM 5-7 DATE/JIME	RECEIVED BY	STORED IN	m0-02	6 DAT	754720	(1)Chromiun	n Hex - 7196; Oi	il & Gr	ease - 413.1; N	02/NO3 -	353.2;		
Same	Wiber	4 (Ancole) 7 2936	SITER	rice#6	10-	<u> </u>	1115								
RELINQUISH	DO PY	DATE/TIME	NA ENERAL	STORID IN	l Kurk	נוצע על									
1112.0		ACCOMPANY OF THE PARTY THE	RECEIVED BY	STORED IN	MINMA.	DAT	TE/TIME								
MHT	iiiki	TO TOWN IN THE STATE OF	19 41	γχ											
RELINQUIS		10VED FROM DATE/TIME	RECEIVED BY		1.	DAT	TE/TIME								
FU	LEX		RECEIVED BY	w		1/15 0	FE/TIME								
RELINQUIS	1ED BY/REP	HOVED FROM DATE/TIME	KECETAED B1/	STORED IN			E) IIIIE								
RELINQUISH	HED BY/REA	HOVED FROM DATE/TIME	RECEIVED BY	STORED IN		DA	TE/TIME								
RELINQUIS	ELINQUISHED BY/REMOVED FROM DATE/TIM			STORED IN		DA	TE/TIME								
	Т	RECEIVED BY		<del></del>				TITLE	<del></del>				DATE/TIME	<del></del>	_
LABORA'	IURT	· · · · · · · · · · · · · · · · · · ·													
		DISPOSAL METHOD						DISPOSED BY					DATE/TIME		
FINAL SA	AMPLE							·							
2207 031															

# Lionville Laboratory Incorporated SAMPLE RECEIPT CHECKLIST (SRC)

LIENT: TNU Hanford

Date: 1/7/05

rchase Order / Project# / \F# / SOW# / Release #:

٧I

J E	Satch#: 0501L570	S	ample Custo	dian: The Sum
	NOTE: EX	PLAIN ALL D	SCREPANCI	ES 35/17/33
1.	Samples Hand Delivered or Shipped	Carrier F	edex	Airbil# 7914 3830 582
2.	Custody seals on coolers or shipping container intact, signed and dated?	V Yes	□ No	□ No Seals Comments
3.	Outside of coolers or shipping containers are free from damage?	D Yes	□ N <sub>0</sub>	
4.	All expected paperwork received (coc and other client specific information) sealed in plastic bag and easily accessible?	∑Yes .	□ No	
5.	Samples received cooled or ambient?	Temp	0 °C	Cooler# 500
6 <b>.</b>	Custody seals on sample containers intact, signed and dated?	E Yes	□ No	□ No Seals
7.	coc signed and dated?	₩ Yes	D No	
8.	Sample containers are intact?	G Yes	□ No	
, <b>9.</b>	All samples on coc received? All samples received on coc?	U Yes	□ No	
10.	All sample label information matches coc?	 □ Yes	□ No	
11.	Samples properly preserved?	E Yes	□ No	
12.	Samples received within hold times? Short holds taken to wet lab?	EJ Yes	□ Ne	
13.	VOA, TOC, TOX free of headspace?	□ Yes	DNe	DINA
34.	QC stickers placed on bottles designated by client?	· DYes	□ No	DINA
15.	Shipment meets Lvl. I Sample Acceptance Policy? (Identify all bottles not within policy. See reverse side for policy)	Ø Yes	□ No	
16.	Project Manager contacted concerning discrepancies? name/date (or samples outside criteria)	□ Yes	□ <b>№</b>	EZ No Discrepancies



Geotechnical Laboratory PO Box 4339 1570 Bear Creek Road Oak Ridge TN 37830 (865) 482-6497

#### CERTIFICATE OF ANALYSIS

Stephen Trent Fluor Hanford, Inc. 825 Jadwin Avenue Richland, Washington 99352 February 10, 2005

This is the Certificate of Analysis for the following samples:

Shaw Project ID:

Shaw Project Number:

Client Sample Data Group:

Date Received by Lab: Number of Samples:


Sample Type:

Eberline - Hanford 100846.53000000

H2936

January 3, 2005

One (1) Soil



# I. Introduction/Case Narrative

One soil sample was received by the Shaw Geotechnical Laboratory on January 3, 2005. The sample was submitted for determination of moisture content, bulk density, and sieve analysis. The sample number received was B1B5H3.

Please see Appendix A, Sample Number Cross Reference List; Appendix B, Analysis Results; and Appendix C, Chain-of-Custody/Sample Receipt Records.

"I certify that this data package is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature."

Reviewed and Approved:

Ralph Cole

Laboratory Manager, Geotechnical Services

Page 2 of 9
February 10, 2005
Stephen Trent
Fluor Hanford, Inc.
Shaw Project Name: Eberline Hanford
Shaw Project No. 100846.53000000
SDG No. H2936

Shaw Geotechnical Laboratory Oak Ridge TN (865) 482-6497

# II. <u>Analytical Results/Methodology</u>

REFERENCES: United States Army Corps of Engineers (USACE), Engineer Manual 1110-2-1906, Laboratory Soils Testing, appendix II, 1970; United States Environmental Protection Agency, SW846, Test Methods for Examining Solid Waste, Physical/Chemical Methods, 3rd ed., Nov 1986 (EPA SW-846). Annual Book of ASTM Standards, Section 4, Construction, Volume 04.08, Soil and Rock (I), and Volume 04.09, Soil and Rock (II), 2004. Shaw Environmental and infrastructure, Standard Operating Procedures.

Moisture Content of Soil and Rock	<b>ASTM D 2216</b>
Particle-size Analysis of Soils	
Bulk Density of Soils	EM 1110-2-1906

## III. Quality Control

Quality control checks such as duplicates and spikes (QC samples), are not normally applicable to geotechnical testing. This is due largely to the inability of obtaining samples with known characteristics, the heterogenous nature of the samples, and quality control procedures built-in to the analytical method.

QC measures to ensure accuracy and precision of test results include the following:

- 100% verification of all numerical results raw data entries, transcriptions and calculations entered by lab technicians are checked, recalculated and verified. Most data calculations are performed by computer programs.
- Data validation through test reasonableness summaries of all test results for individual reports are reviewed to determine the overall reasonableness of data and to determine the presence of any data that may be considered outliers.
- Quality control procedures are built into most standardized geotechnical procedures. For example, liquid limit and plastic limit analyses call for re-analyses and specify acceptance criteria.
- Routine instrument calibration instruments, gauges and equipment used in testing are calibrated on a routine basis. All instrument calibration follows ASTM or manufacturer guidelines.
- Maintenance of all past calibration records calibration records and certification documents of all instruments, gauges and equipment are updated routinely and maintained in the Quality Control Coordinators Quality/Operations files.

Page 3 of 9
February 10, 2005
Stephen Trent
Fluor Hanford, Inc.
Shaw Project Name: Eberline Hanford
Shaw Project No. 100846.53000000
SDG No. H2936

Shaw Geotechnical Laboratory Oak Ridge TN (865) 482-6497

- Certified and trained personnel all technicians are certified by the National Institute for Certification of Engineering Technicians (NICET) in geotechnical soil testing, and are trained in the application of standard laboratory procedures for geotechnical analyses as well as the quality assurance measures implemented by Shaw.
- Quantitative analyses frequently used in geotechnical/physical testing programs do not use
  QC tools common to wet chemistry or radiochemistry laboratories. Measures not employed
  in the analysis of samples reported in this report include: laboratory control samples (LCS),
  blanks, matrix spikes (MS), duplicate analyses, dilutions, digestions, correction factors,
  surrogate sample analyses, detection limit determinations, control charts, and/or tentatively
  identified compounds (TICs).

### IV.Data Qualification

None.

Appendix A Sample Cross-Reference List Page 4 of 9
February 10, 2005
Stephen Trent
Fluor Hanford, Inc.
Shaw Project Name: Eberline Hanford
Shaw Project No. 100846.53000000
SDG No. H2936

Shaw Geotechnical Laboratory Oak Ridge TN (865) 482-6497

## SAMPLE NUMBER CROSS-REFERENCE LIST

LAB SAMPLE NO.	CLIENT SAMPLE NO.	MATRIX
BC0521	B1B5H3	Soil

Appendix B Sample Test Results Page 5 of 9
February 10, 2005
Stephen Trent
Fluor Hanford, Inc.
Shaw Project Name: Eberline Hanford
Shaw Project No. 100846.53000000
SDG No. H2936

Shaw Geotechnical Laboratory Oak Ridge TN (865) 482-6497

# **MOISTURE CONTENT**

PROJECT NAME

Eberline Hanford

PROJECT NUMBER
100846.53000000

LAB SAMPLE NO.	CLIENT SAMPLE NO	MOISTURE, % ASTM D 2216	MOISTURE : %   SW846	SOLIDS, % SW846
BC0521	B1B5H3	1.8	1.7	98.3
		<u></u>		
	<del></del>			
	-			
	· · · · · · · · · · · · · · · · · · ·			

ASTM D 2216 results are based on dry sample weight. SW846 results are based on wet sample weight. Solids content is determined by subtracting the SW846 moisture (%) from 100. Page 6 of 9
February 10, 2005
Stephen Trent
Fluor Hanford, Inc.
Shaw Project Name: Eberline Hanford
Shaw Project No. 100846.53000000
SDG No. H2936

Shaw Geotechnical Laboratory Oak Ridge TN (865) 482-6497

# BULK DENSITY/DRY DENSITY EM-1110-2-1906, APPENDIX II

PROJECT NAME:

PROJECT NUMBER:

Eberline - Hanford

100846.53000000

LAB	CLIENT	AVERAGE	AVERAGE	WET	MOISTURE	BULK	DRY
SAMPLE	SAMPLE	LENGTH	DIAMETER	WEIGHT.	CONTENT,	DENSITY	DENSITY.
NUMBER	NUMBER	niches	inches	grams	1.	pcf	pcf
BC0521	B1B5H3	5.4340	3.9058	2300.1	2.5	134.6	131.4
-		-					
		<del> </del>					
	· · · · · · · · · · · · · · · · · · ·	1				:	<u> </u>
				· · · · · · · · · · · · · · · · · · ·			
	<del></del>						1
					Ì		
	<del></del>						
					1		

Moisture content calculated by ASTM D 2216 based on sample dry weight.

Bulk density is the weight of wet sample divided by the volume of the wet sample (as-received).

Dry density is the weight of the dry sample solids divided by the volume of the original sample.

Page 7 of 9 February 10, 2005 Stephen Trent Fluor Hanford, Inc.

Shaw Project Name: Eberline Hanford Shaw Project No. 100846.53000000

SDG No. H2936

Shaw Geotechnical Laboratory Oak Ridge TN (865) 482-6497

# PARTICLE-SIZE DISTRIBUTION ASTM D 422

Project Name Eberline Hanford

Field Sample No. B1B5H3

Project No.

100846.53000000

Lab Sample No.

BC0521


Moisture Content = 2.5% based on dry sample weight

#### SIEVE ANALYSIS

	Sieve	Diameter	Percent
_	No.	mm	Finer
CO	3"	75.000	100.0%
Ă	1.5"	37.500	100.0%
R	0.75"	19.000	89.1%
S	0.375"	9.500	74.9%
_	#4	4.750	64.2%
	#10	2.000	55.0%

	Sieve	Diameter	Percent
-	No.	mm	Finer
F	#20	0.850	48.2%
i	#40	0.425	42.8%
N	#60	0.250	35.1%
E	#100	0.149	25.7%
	#140	0.106	21.9%
	#200	0.075	18.5%

#### **DISTRIBUTION CURVE**



35.8% Gravel

45.7% Sand

18.5% Silt/Clay

Appendix C Chain-of-Custody and Request-for-Analysis Records

	FLUO	R Hanford Inc.		CHAIN	OF COSTOD	Y/SAMPLE AN	LYSIS REQ	VEST			F03-006-316	1	PAGE 1	OF 1	
COLLECTOR Pope/Pfister	R r/Wiberg/Tyra		COMPANY CON	TACT		<b>EPHONE NO.</b> 73-3928		PROJECT (	COORDINA	TOR	PRICE CODE	8N		DATA NAROUND	
SAMPLING	LOCATION		PROJECT DESI	ENATION		-,		SAF NO.			AIR QUALIT	<i>r</i> $\Box$		Days /	
	16-5-7,199-201		200-PW-2/200-F	W-4 OU - Boreho	de Soil Samplir	ng		F03-006					45	5 Days	
ICE CHEST	NO. MABL	المام المام	FIELD LOGBOO	•		COA		METHOD OF SHIPMENT							
AF	<del>s 040</del>	59 GRP-04-009	HNF-N	-336	1	119153ES10		Federal Ex	•						
SHIPPED TO	0		OFFSITE PROP	ERTY NO	1/1/	1	_	BILL OF L	ADING/ATA	NATE N	°14628	 ン			
Shaw Group	)			uML	. 14lx	$\mathcal{A}$			2lı K	11	14600				
MATRIX*	POSSIBL	E SAMPLE HAZARDS/ REMARKS	PRESER	IVATION	None	None									
DL=Drum Uquids DS=Drum Solids			TYPE OF C	ONTAINER	Moisture Resistant Con	Split Spoon It Liner					<del></del>				
L=Liquid	İ	4	NO OF COL	VTAINER(S)	1	1			<del> </del>	<del></del>		<del></del>	<del></del> -	+	
0=0if S=Soil SE=Sediment T=Tissue V=Vegitation		QDG4 H2936		UME	200g	1000g									
W=Water WI=Wipe X=Other	SPECIAL RADIOACTI	HANDLING AND/OR STORAGE VETIETO: BIBSSR MIDO BIBSSR 12/25/04	SAMPLE	UNALYSIS	Molsture Content - D2216	Particle Size (Dry i; Sieve) - D422; BOLK Dendaly =		<u> </u>			<del></del>				
				<del>,</del>		D2931									
	PLE NO.	MATRIX*	SAMPLE DATE	SAMPLE TIME										<u> </u>	
B1B5H3	<u>.</u>	SOIL	12/22/04	1120	X	X		_ !	<b>BC</b> 05	521				<u> </u>	
				<u> </u>					1	_1					
										,	ŧ		_	1	
<u> </u>															
						<del>                                     </del>			ļ						
CHAIN OF P	OSSESSION		SIGN/ PRINT	NAMES			SPEC	IAL INSTR	UCTIONS			<del>-                                    </del>	<del></del>		
RELINQUISHE A. Ma. // RELINQUISHE	SY REMOVE	D FROM S-7 DATE/TIME	RECEIVED BY	STORED IN	RANNU	1257	De W	inėr levyl	,† 2	.৭ ৮৫	5 Gran	٠.در			
		TO BULLION STORES	180	notaro ni		DATE/TIM		•							
KELINQUISHE	D BY/REMOVE		RECEIVED BY/	FTONED IN	12/10	DATE/TIM	1								
RELINQUISH	D BY REMOVE		RECEIVED BY		- ( - 1	DATE/TIM	E .								
RELINQUISH	BY/REMOVE	ED FROM DATE/TIME	RECEIVED BY/S	STORED IN	2/30/	DATE/TIM	E								
RELINQUISKE	D BY/REMOVE	D FROM DATE/TIME	RECEIVED BY/	STORED IN	<u> </u>	DATE/TIM	E								
<del></del>	·						TITLE						DATE/TIME		
LABORATO SECTIO	OKT	god other		•			<i>९50</i>	•				1.3.0	1	00	
<u> </u>	275					<u>′</u>		SED BY					DATE/TIME		
FINAL SAM DISPOSIT	IPLE	OSAL METHOD	•				J.37 (	31				•	•		

-

5004 H2936

PAGE 1

Kberline Srvces

STORED

CHAIN OF CUSTODY ORD # R4-12-301

12/29/04 14:22:20

WORK ID: SAF# F03-006 SDG H2936

KEEP: 02/12/06 DISP: S

RCVD: 12/29/04 DUE: 02/12/05

TESTS

DASH SAMPLE IDENTIFICATION E335S DISPOS E331S E333S 01A-S B1B5H3 TRANSFERRED TO

**BC** 0521